



### PRESENTED BY: JOHN YOO, SR. PROJECT MGR.



46th Annual NDIA Fuze Conference The Marriott Riverwalk Downtown San Antonio, TX April 29-May 1, 2002 NDIA Event# 2560











### XM984 DPICM

□ 120 MM MORTAR CARTRIDGE
 □ ROCKET ASSISTED ROUND
 □ FIRING RANGE EXTENDED TO 11 KM
 □ GENERICALLY CONFIGURED CARTRIDGE
 □ CARGO: SMOKE, ILLUMINATION, COUNTERMEASURE
 □ PAYLOAD: DP SUBMUNITIONS W/SELF-DESTRUCT FUZING









communications

## TACTICAL FUZE DESIGN FOR THE XM984 DPICM MORTAR CARTRIDGE




#### XM984 DPICM UTILIZES ENHANCED TECHNOLOGIES

<b>U</b> (	CON	1POSITE STRUCTURAL MATERIAL
		OGIVE & CENTER CARGO BODY
		TAILBOOM & BASE
		FIN ASSEMBLY
	ΓRA	CTOR TYPE ROCKET MOTOR
		FLIGHT STABILITY
		SIMPLIFIES CARTRIDGE DESIGN
	MUZ	ZZLE EXIT VELOCITY SENSOR (VMRI)
		PRECISION DELIVERY (REDUCED CEP)
		CAN BE USED AS SECOND SAFETY (NON-SPIN ROUND)
	MUI	LTI-FUNCTION FUZE
		EMBEDDED DUAL FUNCTION FUZE
		ELECTRONIC TIME FUZE
		TWO INDEPENDENT SAFETY FEATURES
<b>L3</b>		













communications

## TACTICAL FUZE DESIGN FOR THE XM984 DPICM MORTAR CARTRIDGE



### UNIQUE TACTICAL FUZE DESIGN FEATURES

Ц	EM	BEDDED DUAL FUNCTION FUZE
		LOCATED BETWEEN ROCKET MOTOR AND PAYLOAD
		IGNITES ROCKET AND INITIATES EXPULSION CHARGE
	ELE	ECTRONIC TIME MORTAR FUZE
		SETTABLE IN MANUAL AND REMOTE MANNER
		PRECISION TIMING AND FUNCTION RELIABILITY
		VMRI INTERFACE
	TW	O INDEPENDENT SAFETY FEATURES
		SATISFIES MIL-STD-1316 REQUIREMENTS
		FIRST SAFETY - SETBACK
		SECOND SAFETY – SEQUENTIAL SPIN & SETBACK
		OPTIONAL - VMRI
ล		




communications

BT Fuze Products Division

## TACTICAL FUZE DESIGN FOR THE XM984 DPICM MORTAR CARTRIDGE





Fire Support







### **DESIGN CHALLENGES & SOLUTIONS**

#### **EMBEDDED CONFIGURATION:**

	CHALLENGES	SOLUTIONS
MANUAL SETTING	BATTERY ACTIVATION, FUZE SETTING & DISPLAY	BULKHEAD BECOMES PART OF FUZE ASSEMBLY
REMOTE SETTING	PHYSICAL MATCH	OPTION 1 - PLACE TRANSFER COIL INSIDE THE FUZE OPTION 2 – PLACE RECEIVER COIL INSIDE OGIVE















**SETTING FROM SIDE** 

**SETTING FROM TOP** 











### **DESIGN CHALLENGES & SOLUTIONS**

#### **DUAL FUNCTION:**

	CHALLENGES	SOLUTIONS
PAYLOAD FUNCTION OCCURS SOMETIME AFTER ROCKET IGNITION	HEAT AND PRESSURE INSULATION FOR FUZE ELECTRONICS & ENERGETICS	ISOLATE ROCKET IGNITION S&A FROM REST OF THE FUZE  MAKE CONNECTION TO FUZE ELECTRONICS USING FEEDTHRU COMPONENT









### **DESIGN CHALLENGES & SOLUTIONS**

#### **ELECTRONIC TIME FUZE:**

	CHALLENGES	SOLUTIONS
FIRE CONTROL INTERFACE	NO STANDARD EXIST FOR MORTAR APPLICATION	UTILIZE PIAFS FOR THE MESSAGE FORMAT AND MODIFY SETTER CONFIGURATION









### **DESIGN CHALLENGES & SOLUTIONS**

#### **ELECTRONIC TIME FUZE:**


	CHALLENGES	SOLUTIONS
TO PROVIDE TIMING & FIRING CONTROL USING NON- DEVELOPMENTAL ITEMS W/O COMPROMISING SAFETY	NO PRODUCTION PROVEN ELECTRONIC TIME MORTAR FUZE DESIGN IS AVAILABLE	UTILIZE M762A1 / M767A1 ARTILLERY ET FUZE - > 99% BALLISTIC RELIABILITY - T&C ASIC W/PROVEN SAFETY ARCHITECTURE











## BALLISTIC PERFORMANCE (2001-2002)

	UNITS BUILT	TEST UNITS	NO. OF DUDS	% REL
M762A1/M767A1				
☐ FIRST ARTICLE	573	573	1	99.8
□ PRODUCTION	248,480	709	1	99.9

#### M762A1/M767A1 ETAF
















#### XM984 FUZE CIRCUIT BLOCK DIAGRAM

Fire Support







### **DESIGN CHALLENGES & SOLUTIONS**

#### **SECOND ENVIRONMENT SAFETY FEATURE:**


	CHALLENGES	SOLUTIONS
TO PROVIDE 2 <sup>ND</sup> SAFETY FEATURE W/O SAFETY PULL WIRE	LIMITED SPIN FORCE IS AVAILABLE	OPTION 1 - MODIFIED THE M762A1/M767A1 S&A TO INCLUDE SEQUENTIAL SAFETY LOCK DESIGN OPTION 2 - UTILIZE VMRI











Safe and Arm Device





Fire Support







BT Fuze Products Division

## TACTICAL FUZE DESIGN FOR THE XM984 DPICM MORTAR CARTRIDGE



### **STATUS OF XM984 PROGRAM**

	ENGINEERING COMPONENT TEST
	☐ FLAT ANGLE LIVE FIRE TEST – 22 AUG 2001
	□ STATIC ROCKET MOTOR TEST – 29 AUG 2001
	DESIGN OF MULTI-FUNCTION FUZE
	□ COMPLETED PRELIMINARY TACTICAL FUZE DESIGN
	COMPOSITE OGIVE
	☐ FABRICATED PROTOTYPE COMPRESSION MOLD OGIVE
	SHORT RANGE FLIGHT DEMONSTRATION
	□ BALLISTIC TESTING AT YPG - 08 OCT 2001
	☐ ALL TEST OBJECTIVES MET
	☐ COMPLETED STO EXIT CRITERIA
	TECHNOLOGY BASE PHASE COMPLETED IN FYO1
	□ CURRENTLY UNFUNDED
	□ POTENTIAL FOR ACCELERATED CAD PROGRAM
3	TO MEET FCS FIELDING REQUIREMENT IN FY08
unicatio	one

















### **PROGRAM TEAM**

PROGRAM FUNDED THROUGH FSAC OF TACOM-ARDEC
DEDICATED INDUSTRY/GOVERNMENT TEAM EFFORT
☐ INDUSTRY TEAM LEADERS
□ BT FUZE PRODUCTS – TACTICAL FUZE
☐ TALLEY DEFENSE – ROCKET & ENERGETICS
☐ INTELLITEC – COMPOSITE CASE
☐ CHAMBERLAIN – METAL PARTS
☐ GOVERNMENT TEAM MEMBERS
☐ FUZE DIVISION – TACTICAL FUZE
☐ FSAC – XM984 DPICM PROGRAM DEVELOPMENT
☐ PM MORTARS – OVERSIGHT MANAGER FOR REQ'S
XM984 MANAGEMENT WILL BE TRANSITIONED TO PM MORTARS
FOR SYSTEM DEVELOPMENT & DEMONSTRATION PHASE



